

3.

4.

5.

6.

7.

3. , “ ” , ,
 , ,
 , .
 , , .
 , ,

4. “ , ,
 ” , ,

5. , ,
 , ,
 , ,
 , ,
 , ,
 , ,

1 4 “ ” “ ”
 2 .

1.
 1 .
 2 () .
 2.
 1 , .
 2 , .
 3.
 1 , .
 2 , .
 3 (Venn) ()

1.
 1 , ,
 2 , ()
 .
 3 , .

4

5

2.

1

2

3

4

3.

1

2

3

4

$y = a^x$ $y = \log_a x$ ($a > 0, a \neq 1$).

4.

1

2

$y = x, y = x^2, y = x^3, y = \frac{1}{x}, y = x^{\frac{1}{2}}$

5.

1

2

6.

1

2

()

()

1.

1

2

()

3

4

()

5

2.

1

- 1
- 2

• 3

• 4

2

•

•

•

•

•

•

•

•

•

3

1.

1

2

3

4

),

5

6

2.

1

2

3

4

3.

1

2

1.

1

2

2.

1.

1

2

2.

1

2

3

4

5

3.

1

2

1.

1

2

2.

1

2

3.

1

2

1.

1

2

2.

1

2

$$\frac{\pi}{2} \pm \alpha, \pi \pm \alpha$$

$$y = \sin x, y = \cos x, y = \tan x$$

3

x

4

$$\sin^2 x + \cos^2 x = 1, \frac{\sin x}{\cos x} = \tan x$$

5 $y = A\sin(\omega x + \varphi)$ $y = A\sin(\omega x + \varphi)$, A ,
 ω, φ .
 6 ,

1.

1 .

2 , .

3 .

2.

1 , .

2 , .

3 .

3.

1 .

2 .

3 .

4 .

4.

1 .

2 .

3 , .

4 , .

5.

1 .

2 .

1.

1 .

2 .

3 , .

2.

, .
).

(

,

1.

,

.

2.

1.

- 1 () .
- 2 .
- 2.
 - 1 .
 - 2 n .
 - 3 ,
 - 4 .

- 1. , () .
- 2.
 - 1 .
 - 2 .
 - 3 , , .
- 3.
 - 1 .
 - 2 , .
 - 3 , .

4. $\frac{a+b}{2} \sqrt{ab} \quad (a \geq 0, b \geq 0)$

- 1 .
- 2 () .

- 1.
 - 1 .
 - 2 “ p, q ” ,
 - 3 .

- 2. “ ” “ ” “ ” .

- 3.
 - 1 .
 - 2 .

- 1 , .
- 2 .
- 3 , .
- 4 .
- 5 .

- 1.
 - 1 .

2

2.

1

$$y = C \quad (C \quad), \quad y = x, \quad y = x^2, \quad y = \frac{1}{x} \quad .$$

2

.

•

$$(C)' = 0 \quad (C \quad) \quad (x^n)' = nx^{n-1}, \quad n \in \mathbf{N}_+$$

$$(\sin x)' = \cos x \quad (\cos x)' = -\sin x$$

$$(e^x)' = e^x \quad (a^x)' = a^x \ln a \quad (a > 0, \quad a \neq 1)$$

$$(\ln x)' = \frac{1}{x} \quad (\log_a x)' = \frac{1}{x} \log_a e \quad (a > 0, \quad a \neq 1).$$

•

$$1 \quad [u(x) \pm v(x)]' = u'(x) \pm v'(x).$$

$$2 \quad [u(x)v(x)]' = u'(x)v(x) + u(x)v'(x).$$

$$3 \quad \left[\frac{u(x)}{v(x)} \right]' = \frac{u'(x)v(x) - u(x)v'(x)}{v^2(x)} \quad (v(x) \neq 0).$$

3.

1

$$(\quad) \quad ,$$

2

$$(\quad) \quad ($$

).

4.

1.

$$(\quad 2 \times 2 \quad) \quad .$$

2.

1.

1

2

3

2.

1

1.

1

2

3

2.

1

2

1.

1

2

3

2.

1

2

1.

1

2

3

4

5

6

7

8

9

2.

1

2

3

4

1.

1 $|a+b| = |a|+|b|$.

2 $|a-b| = |a-c|+|c-b|$.

3

$$|ax+b| \leq c \iff |ax+b| \leq c \iff |x-a|+|x-b| \leq c.$$

2. , , .

$$1 \quad |\alpha| \cdot |\beta| = |\alpha \cdot \beta|.$$

$$2 \quad (a^2 + b^2)(c^2 + d^2) = (ac + bd)^2.$$

$$3 \quad \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2} + \sqrt{(x_2 - x_3)^2 + (y_2 - y_3)^2} = \sqrt{(x_1 - x_3)^2 + (y_1 - y_3)^2}.$$

(.)

3.

$$\sum_{i=1}^n a_i^2 \cdot \sum_{i=1}^n b_i^2 = \left(\sum_{i=1}^n a_i b_i \right)^2.$$

4.

5.

6.

$$(1+x)^n > 1+nx \quad (x > -1, x \neq 0, n > 1),$$

$n > 1$

7.

8.